# GENERAL PIPE CLEANERS

For the Hardware - Home Center Market



Pipe Cleaning Tools since 1930



## **Premium Drain Auger**

Increase drain auger sales by ordering them with these attractive tamper-resistant plastic display bags. Complete directions on the back in English, French and Spanish. These models have

Catalon

professional-type sliding crank handles with smoothly working hand grips. This feature gives the augers a more attractive, high quality appearance.

The handle is formed from heavy-wall tubing and the thumb screw is 1/2" (13 mm) long x 1/4" (6 mm) for solid gripping without thread stripping. In addition, the handle has a good offset for greater turning leverage.

Made of high tensile bright wire. 1/4" (6 mm) augers have basin plug head for easy threading through strainer crossbars. 3/8" (10 mm) and 1/2" (13 mm) augers have large bulb-shaped corkscrew boring head.





**Premium Handle** 

	Number	UPC	Length	Pack	per Carton
1/4" (6 mm)	8PQH	0-93122-61018-9	8 ft. (2.4 m)	24	31 lbs. (14 kg)
Diameter	15PQH	0-93122-61020-2	15 ft. (4.6 m)	24	47 lbs. (21 kg)
For Small Lines	25PQH	0-93122-61021-9	25 ft. (7.6 m)	12	39 lbs. (18 kg)
3/8" (10 mm)	25PMH	0-93122-61042-4	25 ft. (7.6 m)	6	39 lbs. (18 kg)
Diameter	35PMH	0-93122-61043-1	35 ft. (10.6 m)	6	53 lbs. (24 kg)
For 2" – 3" Lines	50PMH	0-93122-61044-8	50 ft. (15.2 m)	3	36 lbs. (16 kg)
1/2" (13 mm)	25PLH	0-93122-61064-6	25 ft. (7.6 m)	6	52 lbs. (24 kg)
Diameter	50PLH	0-93122-61066-0	150 ft. (15.2 m)	3	51 lbs. (23 kg)
For 2" – 4" Lines	100PLH	0-93122-61068-4	100 ft. (30.5 m)	1	34 lbs. (15 kg)

# **Economy Drain Auger**

Economy augers have the same style springs as the premium augers, but the handles do not have sliding hand grips. With attractive tamper resistant plastic display bags. Complete tri-lingual directions on back.



	Catalog Number	UPC	Length	Standard Pack	Weight per Carton
1/4" (6 mm)	8PQZ	0-93122-61121-6	8 ft. (2.4 m)	24	28 lbs. (13 kg)
Diameter	15PQZ	0-93122-61122-3	15 ft. (4.6 m)	24	44 lbs. (20 kg)
For Small Lines	25PQZ	0-93122-61123-0	25 ft. (7.6 m)	12	34 lbs. (15 kg)
3/8" (10 mm)	25PMZ	0-93122-61145-2	25 ft. (7.6 m)	6	32 lbs. (15 kg)
Diameter	35PMZ	0-93122-61146-9	35 ft. (10.6 m)	6	48 lbs. (22 kg)
For 2" – 3" Lines	50PMZ	0-93122-61147-6	50 ft. (15.2 m)	3	30 lbs. (14 kg)
1/2" (13 mm)	25PLZ	0-93122-61166-7	25 ft. (7.6 m)	6	58 lbs. (26 kg)
Diameter	50PLZ	0-93122-61168-1	50 ft. (15.2 m)	3	55 lbs. (25 kg)
For 2" – 4" Lines	100PLZ	0-93122-61170-4	100 ft. (30.5 m)	1	37 lbs. (17 kg)

# For the Hardware - Home Center Market

P-SM

PL

### Steel Drum Spin-Thru™

A cleaner way to open clogged drains.

The 1/4" (6 mm) spring is fed out of the drum into the line, keeping it away from clean kitchen and bathroom surfaces. SM models have a rugged steel drum and a "T" grip handle for more convenient use in laundry tubs. Complete directions on back of card. Also available individually boxed.

WWW

Catalog Number	UPC	Length	Weight per 6 Pack Carton
P-15SM	0-93122-63012-5	15 ft. (4.6 m)	23 lbs. (10 kg)
P-25SM	0-93122-63013-2	25 ft. (7.6 m)	27 lbs. (12 kg)

# Power Spin-Thru™

A great drain cleaner upgrade: our steel drum

Spin-Thru is equipped with a spindle so it can be attached to an electric drill. Supplied with display card with complete directions on back. Also available individually boxed.

Catalog Number	UPC	Length	Weight per 6 Pack Carton
CP-15SM	0-93122-63232-7	15 ft. (4.6 m)	22 lbs. (10 kg)
CP-25SM	0-93122-63233-4	25 ft. (7.6 m)	28 lbs. (13 kg)

# Plastic Spin-Thru™

Drum is molded from attractive high density orange plastic. A surprisingly durable unit at a surprisingly low price. Complete directions on back of card. Also available with 3/8" x 25 ft. (9 mm x 7.6 m) spring.

Catalog Number	UPC	Length	Weight per 6 Pack Carton
15PI	0-93122-63208-2	15 ft. (4.6 m)	16 lbs. (7 kg)
10. 2			. 0.
25PL	0-93122-63209-9	25 ft. (7.6 m)	23 lbs. (10 kg)
3/8 – 25PL	0-93122-63215-0	25 ft. (7.6 m)	38 lbs. (17 kg)

# Plastic Power Spin-Thru™

Identical to the Plastic Spin-Thru to the left, but

with a spindle inserted at the back so it can be used with an electric drill. Directions are on back of card.

Catalog Number	UPC	Length	Weight per 6 Pack Carton
C-15PL	0-93122-63252-5	15 ft. (4.6 m)	16 lbs. (7 kg)
C-25PL	0-93122-63253-2	25 ft. (7.6 m)	23 lbs. (10 kg)
3/8-C-25PL	0-93122-63265-0	25 ft. (7.6 m)	38 lbs. (17 kg)

# **Clog Chaser**™

A more compact, economical version of our plastic Spin-Thru. Can hold 25 feet. Has a full-sized thumb screw. Complete directions are on back of card.

Catalog Number	UPC	Length	Weight per 6 Pack Carton
15CL	0-93122-63271-4	15 ft. (4.6 m)	15 lbs. (7 kg)
25CL	0-93122-63218-1	25 ft. (7.6 m)	22 lbs. (10 kg))

# Power Clog Chaser™

Adds an electric drill option to the Clog Chaser.

An upgrade that doesn't add much to the price. With card and directions.

Catalog Number	UPC	Length	Weight per 6 Pack Carton
C-15CL	0-93122-63256-3	15 ft. (4.6 m)	15 lbs. (7 kg)
C-25CL	0-93122-63257-0	25 ft. (7.6 m)	22 lbs. (10 kg)

uuuu

CP-SM

C-PL

C-CL





A 3/8" (10 mm) dia. spring and ring for attaching spring when not in use. Plastic bowl guard. Galvanized steel tube is 27" (69 cm) long and 5/8" (16 mm) in dia. Galvanized turning rod.

Catalog Number	UPC	Length	Standard Pack	Weight per Carton
3NKH	0-93122-62005-8	3 ft. (.9 m)	12	22 lbs. (10 kg)
6NKH	0-93122-62006-5	6 ft. (1.8 m)	12	28 lbs. (13 kg)

## **Deluxe Closet Auger**

A 7/16" (11 mm) dia. spring. Equipped with plastic grip handle and bowl guard. Galvanized steel tube is 30" (76 cm) long and 3/4" (19 mm) in dia. Galvanized turning rod.

Catalog Number	UPC	Length	Standard Pack	Weight per Carton
3RB	0-93122-62007-2	3 ft. (.9 m)	12	30 lbs. (14 kg)
6RB	0-93122-62008-9	6 ft. (1.8 m)	12	38 lbs. (18 kg)

# **Utility Closet Auger**

A real upgrade from the above models; has a big 1/2" (13 mm) dia. spring, 34" (86 cm) long, 3/4" (19 mm) powder coated steel tube and 3/8" (10 mm) dia. Galvanized turning rod. Equipped with heavy vinyl grip handle and bowl guard.

Catalog Number	UPC	Length	Standard Pack	Weight per Carton
3PJH	0-93122-62013-3	3 ft. (.9 m)	6	21 lbs. (10 kg)
3JH	0-93122-62012-6	less card 3 ft. (.9 m)	6	20 lbs. (10 kg)

# **Professional Closet Auger**

The choice of plumbers and maintenance personnel. Guaranteed for a full year. Has a wire rope center core with two layers of spring wire coiled over it. Die cast aluminum handle. With card.

Catalog Number	UPC	Length	Standard Pack	Weight per Carton
P3FL	0-93122-62021-8	3 ft. (.9 m)	6	26 lbs. (12 kg)

Double Spring Construction
Wire Rope Center





3NKH



# For the Hardware - Home Center Market



#### **Drill Snake**

An innovative tool that attaches to an electric drill. The snake is encased in a plastic tube that remains stationary as the snake is rotated by an electric drill. For safety, the unit is equipped with an automatic clutch that slips if the boring head gets caught in the line.

Catalog Number	UPC	Length	Standard Pack	Weight per Carton
DS15	0-93122-63222-8	15 ft. (4.6 m)	6	10 lbs. (5 kg)
DS25	0-93122-63223-5	25 ft. (7.6 m)	6	18 lbs. (8 kg)

#### **Flat Sewer Rod**

Made from non-kinkable, high carbon, oil tempered steel. Equipped with aluminum grip handle and steel spear head. The 1/4" (6 mm) x 1/16" (2 mm) size is furnished with flexible spring head and adjustable wood grip handle.

	Catalog Number	UPC	Length	Standard Pack	Weight per Carton
1/4" (6 mm) x 1/16" (2 mm)	25AH	0-93122-64007-0	25 ft. (7.6 m)	6	12 lbs. (6 kg)
(For Small Pipes)	50AH	0-93122-64008-7	50 ft (15.2 m)	6	21 lbs. (10 kg)
	25BH	0-93122-64012-4	25 ft. (7.6 m)	4	17 lbs. (8 kg)
1/2" (13 mm) x 1/16" (2 mm)	50BH	0-93122-64013-1	50 ft. (15.2 m)	4	27 lbs. (13 kg)
(For 2" to 3" Medium Pipes)	75BH	0-93122-64014-8	75 ft. (22.9 m)	4	38 lbs. (18 kg)
	100BH	0-93122-64015-5	100 ft. (30.5 m)	4	50 lbs. (23 kg)
	25CH	0-93122-64018-6	25 ft. (7.6 m)	4	21 lbs. (10 kg)
3/4" (19 mm) x 1/16" (2 mm)	50CH	0-93122-64019-3	50 ft. (15.2 m)	4	37 lbs. (17 kg)
(For 2" to 4" Pipes)	75CH	0-93122-64020-9	75 ft. (22.9 m)	4	54 lbs. (25 kg)
	100CH	0-93122-64021-6	100 ft. (30.5 m)	4	70 lbs. (32 kg)
de la	25DH	0-93122-64024-7	25 ft. (7.6 m)	1	10 lbs. (5 kg)
3/4" (19 mm) x 1/8" (3 mm)	50DH	0-93122-64025-4	50 ft. (15.2 m)	1	18 lbs. (8 kg)
(For 4" to 6" Pipes)	75DH	0-93122-64026-1	75 ft. (22.9 m)	1	26 lbs. (12 kg)
	100DH	0-93122-64027-8	100 ft. (30.5 m)	1	34 lbs. (15 kg)
		Extra Parts	U	PC	Standard Pack
	1-HSH Spe	ar Head for BH and CH I	Rods 0-93122	2-64036-0	1
1	2-HSH	Spear Head for DH Rods	s 0-93122	2-64037-7	1

# Flat Drain Cleaner

For small drains. The open-wound spring head threads through strainer crossbars; is coiled from rust-resistant galvanized wire. The 1/4" (6 mm) x 1/32" (1 mm) oil tempered flat spring is flexible enough to go through a P-trap. Supplied with 10" (25 cm) holder; rewinds after use.

Catalog Number	UPC	Length	Standard Pack	Weight per Carton
25PH0	0-93122-64003-2	25 ft. (7.6 m)	36	35 lbs. (16 kg)
50PHO	0-93122-64004-9	50 ft. (15.2 m)	36	58 lbs. (26 kg)





## **Drain Flusher**

Opens clogged drains with water pressure. Just attach to garden hose and slide Drain Flusher into drain. Water expands Flusher to size of pipe. Then water pressure pushes stoppage down the line. Equipped with backflow preventer on the inlet side.

Catalog Number	UPC	Length	Standard Pack	Weight per Carton
1.5DFH	0-93122-45101-0	1-1/2"	4	1-3/4 lbs. (1 kg)
2.5DFH	0-93122-45102-7	2-1/2"	4	2 lbs. (1 kg)
3DFH	0-93122-45103-4	3"	4	3 lbs. (2 kg)
4DFH	0-93122-45104-1	4"	4	3-1/2 lbs. (2 kg)

#### Flood-Guard™

Prevents basement flooding. Operates like a check valve to seal off water back-up caused by overloaded sewers. Water flows normally through the drain until the sewer begins to back up. Then the Flood-Guard float rises to seal

off the drain opening until the water recedes. Installed in minutes. For extreme, extended pressure (for instance, where homemade seals have popped out of line), we recommend our standpipe models.

Gaskets are made of molded rubber, and all metal parts are plated or stainless steel.



Float Model

Catalog Number	UPC	Pack	Weight per Carton
2FH 2" (51 mm) Float Model	0-93122-65000-0	4	1 lb. (.5 kg)
3FH 3" (76 mm) Float Model	0-93122-65001-7	6	3 lbs. (1.5 kg)
4FH 4" (10 cm) Float Model	0-93122-65002-4	6	6 lbs. (3 kg.)
S-3FH 3" (76 mm) Standpipe Model	0-93122-65003-1	6	2-1/2 lbs. (1 kg)
S-4FH 4" (10 cm) Standpipe Model	0-93122-65004-8	6	7-1/2 lbs. (4 kg)



Stand Pipe Model

# **SuperSlice™ Plastic Tubing Cutter**

Patented V-point blade pierces hard or soft plastic tubing, then slices through to give a clean, easy cut with virtually no tube deformation. Cuts up to 1" (25mm) diameter.

Catalog Number	UPC -	Pack	Weight per Carton
SUS SuperSlice Tubing Cutter	0-93122-45321-2	10	5 lbs. (2.3 kg)



# For the Hardware - Home Center Market

# AutoCut<sup>™</sup> Copper Tubing Cutter

Quicker than conventional cutters. Just snap it on the tube, close the gate and turn in either direction. The cutter wheel automatically tightens as you turn the AutoCut – no knobs to twist. Made of molded rubber, and all metal parts are plated or stainless steel.



Catalog Number	UPC	Pack	Weight per Carton
ATC-12 for 1/2" (13 mm) Copper Tubing	0-93122-45301-4	12	3 lbs. (1.5 kg)
ATC-34 for 3/4" (20 mm) Copper Tubing	0-93122-45302-1	12	4 lbs. (2 kg)
ATC-100 for 1" (28 mm) Copper Tubing	0-93122-89000-0	12	8 lbs. (3.6 kg)
RH-12 Ratchet Handle for ATC-12	0-93122-45310-6	8	1 lb. (.5 kg)
RH-34 Ratchet Handle for ATC-34	0-93122-45303-8	8	2 lbs. (1 kg)
ATCW Replacement Cutter Wheels for ATC-12, ATC-34 and ATC-100	0-93122-45304-5	12	1/4 lb. (.1 kg)
Not for use with soft copper. US Patent No. 5903980	Canada Pat No. 2187868		

# CopperKey®

The patented ratchet handle on the CopperKey lets you work in really tight places where there isn't enough swing room to spin the handle. Just two or three inches of clearance are all you need to prep tubing inside and out.


For use with	Catalog Number	UPC	Standard Pack	Weight per Carton
1/2" (13 mm) copper tubing	CK-12	0-93122-85310-4	12	3.4 lbs (1.5 kg)
3/4" (20 mm) copper tubing	CK-34	0-93122-45311-3	12	4.4 lbs (2 kg)
IIS Datent No. 6578228 • Canadian	Datent No. 21	777525		



You'll find dozens of uses for this labor-saver, like cleaning traps and manholes of rocks and debris, grabbing objects from hard to get at places, and changing light bulbs. You can even retrieve golf balls from ponds and pick fruit from trees.

0-93122-45211-6





**Folding Model** 

**RECUP** 

Replacement Cups

Copper coated steel. Center rib provides extra strength. "Gripfit" design
leaves hands free for fastening. Packed 100 per box. Copper Coated Nails
(CCN) are available: 2 000 per hox

2

1 oz



**Copper Straps** 

Catalog Number	UPC	Nominal Tube Size	Standard Pack	Weight per Carton
H-PL10	0-93122-58105-2	1/2" (13 mm)	1,000	11 lbs. (6 kg)
H-PL14	0-93122-58107-6	3/4" (19 mm)	1,000	17 lbs. (8 kg)
CCN	0-93122-51000-7		2,000	2-1/2 lbs. (1 kg)



# **Power Line**

#### **BD Drain Gun**

For sinks, shower drains, and laundry tubs. Has tough but flexible heat-treated cables, sure grip chuck, rust-proof aluminum drum, and convenient grip shield.

	Catalog Number	UPC	Weight per Carton
BDJ with 25	t. x 1/4" wire rope center cable	0-93122-10282-0	12 lbs. (5 kg)

#### Little Mike™

This machine is very similar to the Micro-Rooter above but has a smaller drum with a thumb screw for gripping the cable. You get power drain cleaning at a very reasonable price.

	Catalog Number	UPC	Weight per Carton
LMB wit	h 50 ft. x 5/16" wire rope center cable	0-93122-11188-4	24 lbs. (11 kg)

#### Micro Rooter™

For inside lines up through 3" in diameter. Drum holds 50 ft. x 3/8" wire rope center cable and has a Jacobs hand-tight chuck. Drum can be removed in seconds. Machine has pneumatic foot pedal for safety and speed control.

achine has pheumatic foot pedal for so	arety and speed control.	
Catalog Number	UPC	Weight per Carton
MI50AC with 50 ft. x 3/8" wire rope center cable and Jacobs Chuck	0-93122-11181-5	33 lbs. (15 kg)



**★**MADE IN USA★